


# Shadowspec UNITY Multi-Canopy Cantilever Umbrella



# The Evolution of Shade











# **Patented & Trademarked Technology**



SHADOWLIFT™ Gas-assisted deployment for an easy lift.



SHADOWGLIDE™ Engineered to open or close in 5 seconds.



SHADOWHUB™ LED light technology built-in and app controlled.



SHADOWLOCK™ Integrated security and wind-protection.

# **Canopy**

#### Stock Colours



Oyster





Charcoal Tweed



Black

# Special-Order Colours\*\*



Natural



Fern



Storm





Slate



**Fabric**  $Warranty^*$ BEST-IN-CLASS

Taupe





Linen



Sunflower Yellow



Captain Navy



Terracotta

\*\*Special-Order Colours are non-stock and will incur an additional lead time and surcharge. Full Sunbrella Marine Range or other identical fabrics are available as a custom colour option.



# RECASENS BCN **TI** 1886

# Solution Dyed Acrylic

Some fabric dying methods only coat the outer surface of the fibre - think of a radish.

With the Solution Dyed method, each individual thread fibre is dyed - think of a beetroot. The fabric is also easy to clean and covered by a 10 year warranty.

# Frame Colour



Space Grey



Heron Black\*\*\*



\*\*\*Available in 3.0m Square or 4.0m Octagon sizes only.











UV and Fade









Eco-friendly



ЩШ Шп Breathable Weave




# Size & Configuration

# **OCTAGON UNO** 3.5m | 11' or 4.0m | 13'




**OCTAGON DUO** 7.0m | 22' or 8.0m | 26'




**SQUARE UNO** 2.5m | 8' or 3.0m | 10'




**SQUARE DUO** 5.0m | 16' or 6.0m | 20'




**SQUARE DUO** 5.0m | 16' or 6.0m | 20'



**SQUARE TRIO** 5.0m | 16' or 6.0m | 20'



**SQUARE QUATTRO** 5.0m | 16' or 6.0m | 20'



All sizings and conversions are approximate and subject to change without notice. Refer to specsheets for exact, up-todate measurements.

# **Mounting Options**

## **SURFACE PLATE**

For deck, patio and concrete mounting. (316 stainless steel)



**IN-GROUND** 

ANCHOR

For mounting with

a concrete footing.

# **Features**


**EASY OPEN & CLOSE** Umbrella deployment system

with no winding or cables.



MARINE GRADE

No-rust, 316 Stainless Steel Spigot.



**FOLLOW THE SUN** 

Enjoy the 360° rotation for all-day-shade.



**Fabric** Warranty\*

Frame Warranty<sup>\*</sup>

**BEST-IN-CLASS** WARRANTY

# Accessories

N.b. Accessories are optional. Pricing additional.



**RAIN GUTTER** 

Connects adjoining canopies to enhance rain protection.



LED LIGHT CONTROL

Power your light with the Smart Battery or Hardwire Kit.



**PROTECTION COVER** 

Recommended protection for your umbrella when not in use.



**CASTOR WHEELS** FOR FREE-STANDING BASE

# **WALL MOUNT BRACKET**

For when ground mounting isn't possible. (316 stainless steel)



## FREE-STANDING BASE + ALUMINIUM BASE COVER


For complete customised manoeuvrability.





### Available in Space Grey or Heron Black.


Concrete pavers (not included) are required for ballast. Optional Castor Wheels available.

# **Dimensions**












Diagram Legend		2.5m	8'	3.0m	10'	3.5m	11'	4.0m	13'
A	Ground to central frame hub when closed †	860mm	2'10''	620mm	2'1''	1079mm	3'7''	866mm	2'10''
В	Total height to top of canopy +	2900mm	9'6"	2824mm	9'3"	2975mm	9'9"	2899mm	9'6''
С	Height of umbrella to top of mast cap+	2908mm	9'6''	2908mm	9'6"	2908mm	9'7"	2908mm	9'6''
D	Ground to central frame hub when open+	2130mm	7'0''	2054mm	6'9''	2205mm	7'3''	2128mm	7'0''
E	Ground to lower outer edge of canopy †	2222mm	7'3''	2219mm	7'3''	2237mm	7'4''	2172mm	7'2''
F	Centre of Spigot to outside edge of canopy	2646mm	8'8"	2973mm	9'10''	3447mm	11'4''	3923mm	12'10''
G	Diagonal from centre of mast to corner	3742mm	12'3''	4205mm	13'10''	N/A	N/A	N/A	N/A
Н	Duo/Quattro umbrella width edge to edge	5292mm	17'4''	5946mm	19'6''	6894mm	22'7''	7846mm	25'9''
ı	Gutter space between canopies	160mm	6''	160mm	6''	N/A	N/A	N/A	N/A

 $\dagger$ Free-standing Base installations will add  $165mm \mid 6"$  to the height and surface plates will add  $12mm \mid 1/2"$  to the height. Adding the optional Castor Wheels to the Free-standing Base will increase height a further  $45-80mm \mid 2-3"$  to the height. All sizings and conversions are approximate and subject to change without notice. Refer to specsheets for exact, up-to-date measurements.

